

06-14-00

A

Attorney Docket No.
(014354/0002) B-66604

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Box **PATENT APPLICATION**
Assistant Commissioner
for Patents
Washington, D.C. 20231

jc520 U.S. PTO
09/592776
06/13/00

Sir:

Transmitted herewith for filing is the patent application of:

Inventors: Lambert W. LeRoux; Russell J. Mahy; Jay S. Dollard; Chirayu G. Harshe; Michael K. Nicholls; Eric R. Bessell; Kirk T. Kotz; Gregory J. Bricker; Rosemary R. Thomas; Mark A. Lawler; Satish (NMI) Menon; Michael P. Duffy; Laura C. Rogers; and George J. White

For: **SYSTEM AND METHOD FOR PAYMENT DATA PROCESSING**

Enclosed are:

<u>1</u> pages of abstract	<u>X</u>	Combined Declaration/ Power of Attorney
<u>32</u> pages of specification		
<u>5</u> pages of claims	<u>X</u>	Assignment (6 pp.) Including Recordation Form Cover Sheet
<u>7</u> pages of formal drawings	<u>X</u>	Other: Check & Post Card Receipt
<u>X</u>		Post Office Express Mail Certificate No. EI554824052US

The filing fee has been calculated as shown below:

<u>For:</u>	<u>No. Filed</u>	<u>No. Extra</u>	<u>Rate</u>	<u>Large Entity</u> <u>Fee</u>
Basic Fee				\$690.00
Total Claims 20 - 18 =		-0-	x \$ 18.	.00
Indep. Claims 3 - 3 =		-0-	x \$ 78.	.00
Multiple dependent claims -none-			+ \$260.	.00
TOTAL				\$690.00


Our check in the amount of \$690.00 in payment of the filing fee is enclosed.

The Commissioner of Patents and Trademarks is hereby authorized to charge any fee deficiency or to credit any fee overpayment relating to this matter to Deposit Account No. 01-0657. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

Date:

06/13/00


Christopher J. Rourke
Attorney for Applicants
Registration No. 39, 348

AKIN, GUMP, STRAUSS, HAUER & FELD, L.L.P.
P.O. Box 688
Dallas, TX 75313-0688
Phone: 214/969-4669

jc844 U.S. PTO
06/13/00

09592776-061300

5

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

SPECIFICATION

accompanying

10

Application for Grant of U.S. Letters Patent

15

TITLE: SYSTEM AND METHOD FOR PAYMENT DATA PROCESSING

20

FIELD OF THE INVENTION

25

The present invention pertains to the field of payment data processing. More specifically, the invention relates to a system and method for processing payment data that allows transaction data and payment data to be combined in a single report record.

[illegible][illegible][illegible]

Because of the large quantity of data generated by the processing of transaction data and payment data, such problems have been resolved in the past by manual searching and processing of the transaction data and the payment data.

5 This has been required in part because the transaction data and payment data has not been available in a single record. Data storage requirements for such "single record" data have exceeded readily available data storage requirements in the past. In addition, transaction data and payment data are
10 generated at different times and by different entities, and the payment data may be updated repeatedly during payment processing. As a result, "single record" processing of transaction data and payment data has not been available for numerous reasons.

15

SUMMARY OF THE INVENTION

In accordance with the present invention, a system and method for processing payment data are provided that overcome known problems with the processing of payment data.

5 In particular, a system and method for processing payment data are provided that allows the transaction data generated by merchants to be combined with the payment data generated by payment systems so as to allow problems with transaction or payment data to be readily determined.

10 In accordance with an exemplary embodiment of the present invention, a system for processing transaction data and payment data is provided. The system includes a front-end system that receives transaction data from one or more merchants, such as an employee identifier. A back-end
15 system receives payment data from one or more payment systems, such as fraud data. A reporting system that is connected to the front-end system and the back-end system correlates the transaction data the payment data, such as to show employee identifier data and fraud data in a single
20 record.

The present invention provides numerous important technical advantages. One important technical advantage of the present invention is a system for processing transaction data and payment data that allows user-selected data fields
25 from the transaction data to be combined with user-selected fields from the payment data into a single data record. The present invention thus facilitates operator review of transaction data and payment data to allow the operator to readily identify problems and possible causes for such
30 problems.

Those skilled in the art will further appreciate the advantages and superior features of the invention together

Attorney Docket No.
014354.0002

PATENT APPLICATION

with other important aspects thereof on reading the detailed description that follows in conjunction with the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 is a diagram of a system for processing payment data in accordance with an exemplary embodiment of the present invention;

5 FIGURE 2 is a diagram of a system for reporting transaction data and payment data in accordance with an exemplary embodiment of the present invention;

10 FIGURE 3 is a diagram of a front end data processing system in accordance with an exemplary embodiment of the present invention;

FIGURE 4 is a diagram of a system for processing payment data in accordance with an exemplary embodiment of the present invention;

15 FIGURE 5 is a flow chart of a method for processing transaction data and payment data in accordance with an exemplary embodiment of the present invention;

FIGURE 6 is a flowchart of a method for generating report data in accordance with an exemplary embodiment of the present invention; and

20 FIGURE 7 is a flowchart of a method for processing payment data in accordance with an exemplary embodiment of the present invention.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

In the description which follows, like parts are marked throughout the specification and drawing with the same reference numerals, respectively. The drawing figures may not be to scale and certain components can be shown in generalized or schematic form and identified by commercial designations in the interest of clarity and conciseness.

FIGURE 1 is a diagram of a system 100 for processing payment data in accordance with an exemplary embodiment of the present invention. System 100 allows transaction data from "front end" parties, such as merchants, to be combined with payment data from "back end" parties, such as credit card companies, issuing banks and other payment systems, so as to facilitate the processing of payment data.

System 100 includes payment processing system 102. Payment processing system 102 can be implemented in hardware, software, or a suitable combination of hardware and software, and can be one or more software systems operating on one or more general purpose server computing platforms. As used herein, a software system can include one or more lines of computer code, one or more objects, one or more agents, one or more subroutines, one or more separate software applications, two or more lines of code operating in two or more different software applications, and other suitable code configurations, and can operate on one or more processing platforms. For example, a software system can include one or more lines of code from a specific purpose software program that interacts with one or more lines of code in a processor operating system computer program to receive predetermined data, perform predetermined operations on the data, and to output data generated therefrom.

Payment processing system 102 is coupled to merchant systems 104a through 104n through communications medium 108. As used herein, the term "couple" and its cognate terms such as "coupled" and "coupling" can include a physical connection (such as through a copper conductor), a virtual connection (such as through randomly assigned memory locations of a data memory device), a logical connection (such as through logical gates of a semiconducting device), a combination of such connections, or other suitable connections. For example, systems and components may be coupled to other systems and components through intervening systems and components. In one exemplary embodiment, a software system is coupled to another software system through an operating system of the computing platform on which the software systems operate.

Merchant systems 104a through 104n may be implemented in hardware, software, or a suitable combination of hardware and software, and may be one or more software systems operating on a point of sale purchase terminal. Merchant systems 104a through 104n are used by merchants to submit transaction data for processing by payment processing system 102, to determine the status of such transactions, and to analyze transaction data and payment data to identify and resolve problems. For example, merchant systems 104a through 104n can be point of sale terminals and associated software systems operating on the point of sale terminals that receive credit card data and that transmit the credit card data to payment processing system 102 in addition to other suitable data. In this exemplary embodiment, each terminal has a terminal identification number, which is transmitted to payment processing system 102 with the credit card data. Likewise, the time of sale, date of sale, amount

of sale, merchandise being sold, cashier handling the sale, and other suitable data are transferred from merchant systems 104a through 104n to payment processing system 102.

Communications medium 108 is a suitable communications medium for connecting merchant systems 104a through 104n to payment processing system 102. For example, communications medium 108 may be the Internet, the public switched telephone network, microwave communications media, satellite communications media, fiberoptic communications media, a local area network, a wide area network, a combination of two or more of these communications media, or other suitable communications media.

Payment processing system 102 is coupled to payment systems 106a through 106n over communications medium 110. Payment systems 106a through 106n receive the transaction data from payment processing system 102 and verify payment according to the terms of the transaction data and contractual agreements with the users of payment systems 106a through 106n. For example, payment systems 106a through 106n may be credit card organizations, issuing banks, or other suitable organizations that control the payment of funds from individual users. Payment systems 106a through 106n receive the transaction data, which includes account identification such as credit card number, amount, cardholder name, transaction type, merchant identification data, transaction date, and other suitable data. Payment systems 106a through 106n then perform additional processing of the transaction data in order to validate and authorize the transfer of funds to the merchant from the payment systems 106a to 106n.

In this exemplary embodiment, payment systems 106a through 106n also allow the user to dispute the transaction

in the event the transaction was not properly authorized. Likewise, processing to determine mistakes in the amount of the transaction, fraud indications, and other processing-related errors may be performed by payment systems 106a
5 through 106n.

Likewise, merchant systems 104a through 104n may also be required to submit transaction documentation and related data within a predetermined period of time in order to resolve any problems with such transaction and payment
10 processing. If the affected merchant systems do not submit such transaction documentation and related data is not submitted according to predetermined criteria, then penalties may be assessed against them according to contractual provisions between the merchants and the payment
15 systems. Likewise, if a user disputes a charge, then the dispute will be transmitted back from the affected payment system 106a through 106n, to payment processing system 102, and then to the affected merchant system 104a through 104n. The affected merchant system 104a through 104n must then
20 respond to the disputed transaction in a timely manner or waive the right to respond.

Payment processing system 102 combines the transaction data received from merchant systems 104a through 104n with the payment data received from payment systems 106a through
25 106n, so as to allow the transaction and payment data to be evaluated by a user to identify problems with the transaction data, the payment data, or both the transaction data and the payment data. For example, a user of merchant systems 104a through 104n can verify whether any or all
30 submitted transactions have been received for processing by payment systems 106a through 106n, so as to identify any transactions for which there is not corresponding payment

data or for which there are problems with the transaction data. In this manner, payment processing system 102 allows a merchant to check a single transaction or every transaction that has been submitted for payment, so as to
5 verify that the transaction is being processed and to identify transactions requiring further attention.

Likewise, payment processing system 102 allows a merchant to request information on transactions for which the charge has been reversed. For example, if a user
10 received a charge that they believe is improper, the user may notify payment system 106a through 106n and dispute the charge. The charge may then be temporarily or permanently reversed depending upon the circumstances of the disputed charge. In one exemplary embodiment, if a user notifies the
15 operator of a payment system 106a through 106n that a credit card has been stolen, then all charges that were billed to the user's account after the time that the card was stolen may be reversed. Likewise, deposit correction information may be requested such as to identify problems with the
20 merchant's point of sale terminal, the merchant's card reader, the card number that was entered, the authorization code that was entered, the card type that was used, or other correction data.

Another scenario in which payment processing system 102
25 may be used advantageously to combine transaction data with payment data is in the event of a retrieval request. For example, if a user disputes the amount of a charge, or other information, the user may request that the payment authorization record be retrieved from the affected merchant
30 system 104a through 104n, such as to verify the amount that was authorized, the user's signature, or other data. Such payment authorization record may be located on a physical

document, or may be stored in data records that are stored at the affected merchant system 104a through 104n. Operators of merchant systems 104a through 104n can thus use payment processing system 102 to obtain a status report containing details of all pending retrieval requests. Likewise, in the event a retrieval request is not responded to, or if the response indicates that the charge was improper, chargeback data may be generated that reverses the disputed charge to the merchant. Payment processing system 102 allows reports to be generated combining transaction data and payment data to identify these and other conditions.

In addition, some data generated by merchant systems 104a through 104n is not transmitted to payment systems 106a through 106n. For example, if the merchant system is reporting a fuel transaction, a restaurant transaction, a mail order transaction, an e-commerce transaction, a hotel transaction, or other suitable transactions, the merchant system may transmit data to payment processing system 102 that is not forwarded to payment system 106a through 106n. In this event, the merchant may require report data that combines this non-transmitted data with the response data from the payment processing systems 106a through 106n in order to analyze problems with the payment process. In this exemplary embodiment, the merchant may be able to identify that mistakes in data processing are being caused by certain personnel, at certain times of the day, for certain types of merchandise, or in other circumstances. The merchant may then institute protective measures to prevent mistakes from being caused. Thus, payment processing system 102 facilitates analysis of transaction data and payment data in a manner not previously available by performing on-going

updates of selected transaction data and selected payment data, which allows current data to be stored for an extending period of time at a single location.

FIGURE 2 is a diagram of a system 200 for reporting transaction data and payment data in accordance with an exemplary embodiment of the present invention. System 200 includes payment processing system 102 and additional system functionality.

System 200 includes front end system 202, back end system 204, and reporting system 206, each of which can be implemented in hardware, software, or a suitable combination of hardware and software, and which can be one or more software systems operating on a general purpose server platform. Front end system 202 is coupled to communications medium 108 and can receive the following exemplary data fields in the form of one or more transaction data records from a plurality of merchant systems:

Transaction amount data	In predetermined currency, or with currency identifier - e.g. U.S. dollars
Merchant identification data	User or industry defined data field
Personnel identification data	User or industry defined data field
Purchaser identification data	User or industry defined data field
Terminal data	E.g., point of sale terminal identifier
Transaction type data	User or industry defined data field
Purchased material data	User or industry defined data field
Transaction date	User or industry defined date field - e.g. 010199
Transaction time	User or industry defined data field
Other suitable data	User or industry defined data field

Front end system 202 compiles transaction data records containing data fields that are associated with each transaction, and processes the data fields in a predetermined manner so as to facilitate the authorization of payment for transactions.

Back end system 204 is coupled to plurality of payment systems through communications medium 110. Back end system receives payment data from the plurality of payment systems, including the following exemplary data records, each of which may include one or more data fields:

Payment authorization data	Authorization received from payment system, such as bank; date payment request received, date user authorization received, etc.
Payment dispute data	E.g., if user disputes charge authorization, amount, quality of services, etc.
Requests for additional information	E.g., if user requests data on who merchant is, what was purchased, who authorized, etc.
Retrieval requests	E.g., if transaction record bearing user's signature is required.
Deposit correction notice data	E.g., if number was incorrectly entered at point of sale terminal.
Chargeback data	E.g. if amount of charge transaction is being refused, such that merchant will not be compensated.
Fraud indication data	E.g., if card has been reported stolen.
Other suitable data	User or industry defined data fields.

Back end system 204 compiles payment data records containing data fields that are associated with each payment, and processes the data fields in a predetermined manner so as to facilitate the payment of merchants for transactions.

Front system 202 and back end system 204 are coupled to reporting system 206. Reporting system 206 is operable to select data fields from data records of front end system 202 and back end system 204, and to combine the data fields to form predetermined data records, so as to allow a user to perform data processing on the combined data fields. For example, reporting system 206 may receive a data record containing one or more data fields from front end system 202, and may receive a data record containing one or more data fields from back end system 204. Reporting system 206 may then determine whether the two data records are correlated to the same transaction.

In one exemplary embodiment, each transaction data

record can contain one or more data fields that are identical to one or more data fields of a corresponding payment data record. Reporting system 206 can locate related transaction data records and payment data records and generate error data in the event one or more data fields of related transaction data records and payment records do not match. Reporting system 206 can also generate error data if transaction records from front end system 202 do not have a corresponding payment record from back end system 204 and if payment records from back end system 204 do not have a corresponding transaction record from front end system 202.

Reporting system 206 also receives user-selected report criteria, and can process files of data records from front end system 202 and back end system 204 to create reports in response to the user-entered report criteria. For example, a user may request to see all transaction data records for which a retrieval request has been received. In addition, the user may request that a data field from a transaction data record of the front end system 202 that corresponds to the operator of the point of sale terminal for which such transaction retrieval request has been received be identified and reported. Reporting system 206 can match the data fields from the transaction data record of the front end system 202 to the data fields from the payment data record of the back end system 204, so as to identify such retrieval request records, and to extract the point of sale terminal user data. Reporting system 206 then generates a report that contains the requested records in a suitable format.

In operation, system 200 allows a user to generate reports that contain data fields from transaction data

records from a front end system 202 with data fields from a payment data record from a back end system 204 so as to facilitate the processing of payment data. Such payment data may include a large number of transaction data records and payment data records that must be processed before payment can be authorized for each transaction. Nevertheless, discrepancies in data may require additional operator attention, such as where the data falls outside of acceptable transaction parameters. The reason for such unacceptable data may be due to fraud, system misoperation, operator misoperation, equipment misoperation, or other sources, and operator review of the unacceptable data and other related data may be required before the exact reason can be determined. System 200 allows an operator to quickly and effectively focus on potential sources of a problem, so as to identify such problems in a manner that was heretofore unavailable. System 200 also allows predetermined data fields of transaction data records and payment data records to be assembled in a single data record that may then be processed to identify transaction and payment discrepancies.

FIGURE 3 is a diagram of a front end data processing system 300 in accordance with an exemplary embodiment of the present invention. System 300 includes front end system 202 and additional functionality.

System 300 includes transaction detail system 302, fuel transaction system 304, restaurant transaction system 306, and configurable transaction system 308, each of which may be implemented in hardware, software, or a suitable combination of hardware and software, and which can be one or more software systems operating on a general purpose server platform. Transaction detail system 302 can receive transaction data records for auto rental transaction,

electronic commerce transactions, mail order transactions, and other suitable transactions, and can identify predetermined data fields in the transaction data records.

- For example, transaction detail system 302 may receive
- 5 transaction data records in a predetermined format that indicates that an auto rental transaction is being reported for the transaction. The auto rental transaction data can include the following exemplary data fields:

Rental pickup date	Date of pickup - e.g. 010199
Rental return data	Date of return - e.g. 010299
Rental agreement data	User or industry defined data field
Rental agreement value	In predetermined currency, or with currency identifier - e.g. U.S. dollars
Extra charge data	In predetermined currency, or with currency identifier - e.g. U.S. dollars
Other suitable data	User or industry defined data fields

Electronic commerce data can include the following exemplary data fields:

Order number data	User or industry defined data fields
Secure electronic commerce transaction data	User or industry defined data fields
Cardholder certificate data	User or industry defined data fields
Non-authenticated transaction data	User or industry defined data fields
Merchant certificate data	User or industry defined data fields
Channel encrypted transaction data	Indicates whether channel encryption used to transmit transaction data
Non-secure transaction status data	User or industry defined data fields
Other suitable electronic commerce transaction data	User or industry defined data fields

- 15 Mail order data may include the following exemplary data fields:

Single purchase	Indication if single purchase customer
-----------------	--

transaction data	
Recurring billing transaction data	Indication if recurring payment plan, etc.
Order number data	User or industry defined data fields
Other suitable data	User or industry defined data fields

Restaurant transaction system 306 can receive and process transaction data records to identify data fields pertaining to restaurant transactions. For example, restaurant transaction system 306 can extract the following exemplary data fields:

Tip data	In predetermined currency, or with currency identifier - e.g. U.S. dollars
Employee number	User or industry defined data fields
Server number	User or industry defined data fields
Food transaction identifier	User or industry defined data fields
Beverage transaction identifier	User or industry defined data fields
Other suitable data	User or industry defined data fields

Fuel transaction system 304 can receive and process transaction data records to identify data fields pertaining to fuel transactions. For example, fuel transaction system 304 can extract the following exemplary data fields:

Vehicle identification data	E.g. tag number, user-defined number.
Odometer data	User or industry defined data fields
Driver data	E.g. driver name, user-defined number
Product code data	User or industry defined data fields
Other suitable data	User or industry defined data fields

Configurable transaction system 308 allows a user to identify data fields in the transaction data record that can be received and processed by system 300. For example, configurable transaction system 308 may allow a user to set up hotel transaction fields, telephone transaction fields, or other suitable transaction fields, so as to allow

transaction data records to be processed so as to extract these user-defined data fields.

In operation, system 300 allows transaction data to be processed in a manner that facilitates subsequent user analysis of the transaction data records and transaction data fields to determine fraud indications, data input problems, and for other suitable troubleshooting purposes. System 300 allows data to be associated with a transaction data record that is not subsequently transferred to a payment system, and also facilitates the combination of such transaction-specific data with payment data record data. In this manner, system 300 facilitates troubleshooting and control in processing of transaction data and payment data.

FIGURE 4 is a diagram of a system 400 for processing payment data in accordance with an exemplary embodiment of the present invention. System 400 includes back end system 204 and additional system functionality.

System 400 includes payment transaction system 402, disposition system 404, deposit correction system 406, reversal system 408, and configurable payment system 410, each of which may be implemented in hardware, software, or a suitable combination of hardware and software, and which can be one or more software systems operating on a general purpose server platform.

Payment transaction system 402 can receive and process payment transaction data from payment systems that includes transaction data fields extracted from the transaction data record received from merchant systems, plus additional payment transaction data from payment systems. For example, payment transaction system 402 can receive and process payment transaction data records to extract the following exemplary data fields:

Cardholder number	User or industry defined data fields
Amount of transaction	In predetermined currency, or with currency identifier - e.g. U.S. dollars
Transaction type	E.g. purchase, service, telecommunications, etc.
Merchant number	User or industry defined data fields
Transaction date	User or industry defined date field - e.g. 010199
Transaction identification number	User or industry defined data fields
Batch identification number	User or industry defined data fields
Outlet identification number	User or industry defined data fields
Downgrade reason	User or industry defined data fields
Downgrade data	User or industry defined data fields
Card type	User or industry defined data fields
Charge type	User or industry defined data fields
Acquirer reference number	User or industry defined data fields
Merchant outlet number	User or industry defined data fields
Service level	User or industry defined data fields
Terminal identification	Point of sale terminal identifier
Magnetic key	Contents of card magnetic key data field
Deposit date	User or industry defined date field - e.g. 010199
Loading date	User or industry defined date field - e.g. 010199
Transaction code	User or industry defined data fields
Authorization code	User or industry defined data fields
Reject code	User or industry defined data fields
Card-specific data	User or industry defined data fields
Validation code	E.g. as received from payment consolidator
Other suitable data	User or industry defined data fields

Each of these data fields may include data that has been entered by the payment system, and not the merchant system.

5 Disposition system 404 receives disposition data from a payment system and processes the disposition data for subsequent use. For example, disposition system may include one or more of the fields used by payment transaction system 402 to match payment data records with transaction data
10 records, plus additional fields relating to the disposition of a payment request. For example, the following data fields may be included in the disposition data record:

Case number	User or industry defined data fields
-------------	--------------------------------------

Iteration number	User or industry defined data fields
Sequence number	User or industry defined data fields
Resolution type	User or industry defined data fields
Disposition date	User or industry defined date field - e.g. 010199
Merchant outlet number	User or industry defined data fields
Chargeback amount	In predetermined currency, or with currency identifier - e.g. U.S. dollars
Chargeback date	User or industry defined date field - e.g. 101099
Chargeback reason identification	User or industry defined data fields
Acquirer reference number	User or industry defined data fields
Original reference number	User or industry defined data fields
Outlet identification	User or industry defined data fields
card brand	User or industry defined data fields
Loading date	User or industry defined date field - e.g. 010199
Other suitable data	User or industry defined data fields

Deposit correction system 406 can extract and process data fields that are used to correlate the payment data record with the transaction data record and additional deposit correction data fields that are used to identify why a deposit correction is being received. For example, data received from the merchant in a transaction data record may need to be revised if it was incorrectly entered or received. The following exemplary data fields can be included in the deposit correction notice to correct potentially incorrect data that may have been received in a transaction data record:

Processing date	User or industry defined date field - e.g. 010199
Batch identification	User or industry defined data fields
Outlet identification	User or industry defined data fields
Deposit correction notice	User or industry defined data fields
Exception code number	User or industry defined data fields
Merchant outlet number	User or industry defined data fields
Transaction identification number	User or industry defined data fields
Loaded date	User or industry defined date field - e.g. 010199
Control identification	User or industry defined data fields

number	
Other suitable data	User or industry defined data fields

Reversal system 408 can extract and process data fields that are used to correlate a reversal record with a merchant transaction record, and additional data fields that pertain to the reversal. The following exemplary data fields may also be extracted and processed from the payment data record:

Case number	User or industry defined data fields
Iteration number	User or industry defined data fields
Sequence number	User or industry defined data fields
Reversal date	User or industry defined date field - e.g. 010199
Chargeback amount field	In predetermined currency, or with currency identifier - e.g. U.S. dollars
Chargeback date field	User or industry defined date field - e.g. 010199
Chargeback reason identification	User or industry defined data fields
Acquirer reference number	User or industry defined data fields
Original reference number	User or industry defined data fields
Outlet identification	User or industry defined data fields
Card brand	User or industry defined data fields
Transaction date	User or industry defined date field - e.g. 010199
Loading date	User or industry defined date field - e.g. 010199
Other suitable data	User or industry defined data fields

Retrieval system 410 can extract and process data fields that are used to correlate a retrieval data record of a payment record with a transaction record, and additional data fields that pertain to the retrieval. The following exemplary data fields may also be extracted and processed from the payment data record:

Retrieval date	User or industry defined date field - e.g. 010199
Case number	User or industry defined data fields
Card brand	User or industry defined data fields
Outlet ID	User or industry defined data fields
Retrieval reason	User or industry defined data fields
Transaction number	User or industry defined data fields

Transaction date	User or industry defined date field - e.g. 010199
Merchant number	User or industry defined data fields
Amount	In predetermined currency, or with currency identifier - e.g. U.S. dollars
Other suitable data	User or industry defined data fields

Chargeback system 412 can extract and process data fields that are used to correlate a chargeback record with a merchant transaction record, and additional data fields that
5 pertain to the chargeback. The following exemplary data fields may also be extracted and processed from the payment data record:

Case number	User or industry defined data fields
Iteration number	User or industry defined data fields
Sequence number	User or industry defined data fields
Transaction date	User or industry defined date field - e.g. 010199
Chargeback date	User or industry defined date field - e.g. 010199
Chargeback reason	User or industry defined data fields
Cardholder number	User or industry defined data fields
Transaction code	User or industry defined data fields
Other suitable data	User or industry defined data fields

Configurable payment system 414 allows a user to include additional data fields from payment system that may be required for analyzing nonconforming data. For example, one or more payment systems may include additional data that can be used to analyze nonconforming data, such as customer
10 signature data, internal fraud review data, or other suitable data.
15

In operation, system 400 is used to provide processing of payment records so as to allow payment records to be matched with transaction records to facilitate analysis and
20 troubleshooting of payment transactions. System 400 allows a user to process payment data in a manner that preserves additional data added by payment systems, thus allowing a user to correlate this additional data with data received from the merchant systems so as to identify potential causes

for nonconforming data.

FIGURE 5 is a flow chart of a method 500 for processing transaction data and payment data in accordance with an exemplary embodiment of the present invention. Method 500
5 can be used to analyze transaction and payment data so as to identify sources of processing errors, fraud, mistaken data entry or other problems.

Method 500 begins at 502 where transaction data is received. For example, transaction data can be received
10 from a merchant point of sale terminal via the public switched telephone network, the Internet, or other suitable communications media. The transaction data can also include data fields in addition to those that are standardized. The method then proceeds to 504.

At 504, transaction data is processed. The transaction data can include predetermined data fields that are required to be transmitted to an issuing bank, a bank card organization, or other payment systems in order to receive payment authorization for the transaction. The transaction
15 data can also include additional data that is not transmitted to the payment system, and this data is excluded during processing from the data record that is transmitted to the payment system. The method then proceeds to 506.

At 506, payment data is received. The payment data can
25 include a plurality of payment data records, where each payment data record contains data fields related to a transaction plus additional data fields related to the processing of payment data for that transaction. The method then proceeds to 508 where the payment data is processed.
30 For example, the payment data records may include data fields that indicate that the merchant is required to retrieve the transaction record (a retrieval request), that

payment for a transaction has been denied (a chargeback), that additional information is need to correct the transaction data (a deposit correction notice), or other status items that require the merchant to take additional
5 action. The method then proceeds to 510.

At 510, it is determined whether a report request has been received. A report request is used to select data fields from the transaction data record and payment data record for a transaction to enable a user to determine the
10 current status of any or all transactions, whether any errors exist in the transaction record, whether any additional actions are required to facilitate the processing of the transaction, or for other purposes. If a report request has not been received then the method proceeds to
15 524 and terminates. Otherwise the method proceeds to 512.

At 512, report parameters are received. For example, report parameters may be selected by a user from a list of data fields. Likewise, the report parameters may be selected from a list of pre-identified reports that contain
20 data fields that have been determined to be useful for resolving certain discrepancies in transaction and payment data. After the report parameters are received at 512, the method proceeds to 514.

At 514, transaction data is correlated with payment
25 data. For example, individual transaction records may be extracted pursuant to report parameters, and the payment data may be searched for corresponding data records. Likewise, all transaction data records may be matched with all payment data records within certain field range
30 restrictions, such as for a particular merchant, payment system, transaction type, transaction date, terminal identifier, or other suitable field range restrictions. The

method then proceeds to 516.

At 516, it is determined whether a correlation has been found between each transaction data record and each payment data record. If a correlation has been found the method proceeds to 518 where report data within the report parameters is generated. Otherwise, the method proceeds to 516 where error data is generated notifying a user that a corresponding payment data record has not been identified for a merchant data record, or that a merchant data record has not been identified for a payment data record. The method then proceeds to 522. At 522, it is determined whether additional data records exist that must be analyzed. If no such data records exist, the method proceeds to 524 and terminates. Otherwise, the method returns to 514.

In operation, method 500 is used to process transaction and payment data so as to facilitate the analysis of the data to identify causes for non-optimal transaction and payment processing. Such non-optimal transaction payment processing may be due to fraud, mistakes in data entry, malfunctioning of equipment, improper procedures, or other causes, and may result in significant losses to merchants or payment systems. Method 500 allows such problems to be readily identified, so as to prevent merchants from incurring losses that would have previously been too expensive or time-consuming to identify and correct.

FIGURE 6 is a flowchart of a method 600 for generating report data in accordance with an exemplary embodiment of the present invention. Method 600 allows a user to select predetermined data fields from transaction data records and can be used to generate report data according to user-selected criteria.

Method 600 begins at step 602 where transaction data

and payment data are received. For example, the transaction data and payment data may be received after a transaction data record has been matched to a payment data record. Likewise, a batch of transaction data records may first be
5 matched to corresponding payment data records and may then be transferred for further processing. The method then proceeds to 604.

At 604, it is determined whether transaction detail data is required, such as if a user has selected transaction
10 detail data for reporting. For example, the user may select one or more data fields from a transaction detail data template for inclusion in a report. Alternatively, a predetermined report format may be selected that includes predetermined data fields, such as data fields in the
15 transaction detail data. If it is determined at 604 that transaction detail data is required, the method proceeds to 606 where transaction detail data fields are obtained. The method then proceeds to 608. Otherwise, if it is determined that transaction detail data is not required at 604, the
20 method proceeds directly to 608.

At 608, it is determined whether fuel transaction detail data is required. For example, the user may select one or more data fields from a fuel transaction detail data template for inclusion in a report. Alternatively, a
25 predetermined report format may be selected that includes predetermined data fields, such as data fields in the fuel transaction detail data. If it is determined at 608 that fuel transaction detail data is not required, the method proceeds directly to 612. Otherwise, the method proceeds to
30 610 where the fuel transaction detail data fields are obtained. The method then proceeds to 612.

At 612, it is determined whether restaurant transaction

detail data is required. For example, the user may select one or more data fields from a restaurant transaction detail data template for inclusion in a report. Alternatively, a predetermined report format may be selected that includes predetermined data fields, such as data fields in the restaurant transaction detail data. If such data is not required, the method proceeds to 616, otherwise the method proceeds to 614 where restaurant transaction detail data fields are obtained according to the report parameters. The method then proceeds to 616.

At 616, it is determined whether configurable transaction detail data is required in systems that include user-configurable transaction detail data fields. For example, the user may select one or more data fields from a configurable transaction detail data template for inclusion in a report. Alternatively, a predetermined report format may be selected that includes predetermined data fields, such as data fields in the configurable transaction detail data. If it is determined at 616 that configurable transaction detail data is required the method proceeds to 618 where the configurable transaction detail data fields are extracted. Otherwise, the method proceeds to 620.

At 620, a report record is generated. For example, the report record can include one or more data fields from a transaction data record, such as those selected at steps 604 through 618, and one or more data fields from a payment data record received from a payment system. The report record can allow a user to readily determine the status of the transaction, the source of problems or discrepancies in the transaction data record and payment data record, whether the transaction is legitimate or fraudulent, or to perform other useful functions. Method 600 thus allows a single report

record to be generated that contains data that would previously have required reference to multiple hardcopy printouts, separate software systems, or other expensive and time-consuming sources of data.

5 **FIGURE 7** is a flowchart of a method 700 for processing payment data in according with an exemplary embodiment of the present invention. Method 700 allows a user to select predetermined data fields from payment data records and can be used to generate report data according to user-selected
10 criteria.

Method 700 begins at 702 where transaction data and payment data are received. The method then proceeds to 704 where it is determined whether payment transaction detail data is required. For example, the user may select one or
15 more data fields from a payment transaction detail data template for inclusion in a report. Alternatively, a predetermined report format may be selected that includes predetermined data fields, such as data fields in the payment transaction detail data. If such data is not
20 required, the method proceeds to 708. Otherwise, the method proceeds 706 where payment transaction detail data fields are retrieved. The method then proceeds to 708.

At 708, it is determined whether disposition detail data is required. For example, the user may select one or
25 more data fields from a disposition detail data template for inclusion in a report. Alternatively, a predetermined report format may be selected that includes predetermined data fields, such as data fields in the disposition detail data. If it is determined at 708 that disposition detail
30 data is required, the method proceeds to 710 where the disposition data fields are extracted, after which the proceeds to 712. Otherwise, the method proceeds directly to

712.

At 712, it is determined whether deposit correction detail data is required. For example, the user may select one or more data fields from a deposit correction detail data template for inclusion in a report. Alternatively, a predetermined report format may be selected that includes predetermined data fields, such as data fields in the deposit correction detail data. If it is determined at 712 that deposit correction detail data is required, the method proceeds to 714 where the deposit correction detail data fields are extracted, after which the method proceeds to 716. Otherwise, the method proceeds directly to 716.

At 716, it is determined whether reversal detail data is required. For example, the user may select one or more data fields from a reversal detail data template for inclusion in a report. Alternatively, a predetermined report format may be selected that includes predetermined data fields, such as data fields in the reversal detail data. If it is determined at 716 that reversal detail data is required, the method proceeds to 718 where the reversal detail data fields are extracted, after which the method proceeds to 720. Otherwise, the method proceeds directly to 712.

At 720, it is determined whether retrieval detail data is required. For example, the user may select one or more data fields from a retrieval detail data template for inclusion in a report. Alternatively, a predetermined report format may be selected that includes predetermined data fields, such as data fields in the retrieval detail data. If it is determined at 720 that retrieval detail data is required, the method proceeds to 722 where the retrieval detail data fields are extracted, after which the method

proceeds to 724. Otherwise, the method proceeds directly to 724.

At 724, it is determined whether chargeback detail data is required. For example, the user may select one or more data fields from a chargeback detail data template for inclusion in a report. Alternatively, a predetermined report format may be selected that includes predetermined data fields, such as data fields in the chargeback detail data. If it is determined at 724 that chargeback detail data is required, the method proceeds to 726 where the chargeback detail data fields are extracted, after which the method proceeds to 728. Otherwise, the method proceeds directly to 728.

At 728, it is determined whether configurable payment detail data is required. For example, the user may select one or more data fields from a configurable payment detail data template for inclusion in a report. Alternatively, a predetermined report format may be selected that includes predetermined data fields, such as data fields in the configurable payment detail data. If it is determined at 728 that configurable payment detail data is required, the method proceeds to 730 where the configurable payment detail data fields are extracted, after which the method proceeds to 732. Otherwise, the method proceeds directly to 732.

At 732, a report record is generated. For example, the report record can include one or more data fields from a payment data record, such as those selected at steps 704 through 730, and one or more data fields from a transaction data record received from a merchant system. The report record can allow a user to readily determine the status of the transaction, the source of problems or discrepancies in the transaction data record and payment data record, whether

the transaction is legitimate or fraudulent, or to perform other useful functions. Method 700 thus allows a single report record to be generated that contains data that would previously have required reference to multiple hardcopy printouts, separate software systems, or other expensive and time-consuming sources of data.

Although preferred and exemplary embodiments of a system and method for processing payment data have been described in detail herein, those skilled in the art will also recognize that various substitutions and modifications can be made to the systems and methods without departing from the scope and spirit of the appended claims.

0959276-061300

WHAT IS CLAIMED IS

1. A system for processing electronic payment transaction data comprising:

5 a front-end system receiving transaction data from one or more merchants;

a back-end system receiving payment data from one or more payment systems; and

10 a reporting system that correlates at least one data table entry in the transaction data with at least one data table entry in the payment data.

2. The system of claim 1 wherein the reporting system further comprises a data display system that displays at
15 least one data field from the transaction data table entry with at least one data field from the payment data table entry.

3. The system of claim 1 wherein the front-end system
20 further comprises a transaction detail system

4. The system of claim 1 wherein the front-end system further comprises a fuel transaction system

25 5. The system of claim 1 wherein the front-end system further comprises a restaurant transaction system

6. The system of claim 1 wherein the back-end system further comprises a payment transactions system

30 7. The system of claim 1 wherein the back-end system further comprises a disposition system

100







FIGURE 1
014354.0002

FIGURE 2
014354.0002




006730" 3225560

FIGURE 3
014354.0002



[illegible]

400








FIGURE 6
014354.0002



[illegible]

DECLARATION AND POWER OF ATTORNEY

We, Lambert Wayne LeRoux, Russell James Mahy, Jay Stumpf Dollard, Chirayu Gangadhar Harshe, Michael Kerrick Nicholls, Eric Randall Bessell, Kirk Thomas Kotz, Gregory James Bricker, Rosemary R. Thomas, Mark A. Lawler, Satish (NMI) Menon, Michael P. Duffy, Laura C. Rogers and George J. White, joint inventors herein, hereby declare that:

Our residence, post office address and citizenship are as stated below next to our names.

We believe that we are the original, first and joint inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled

"SYSTEM AND METHOD FOR PAYMENT DATA PROCESSING",

the specification of which is attached hereto.

We hereby state that we have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to in this declaration.

We acknowledge the duty to disclose to the Patent and Trademark Office all information known to us to be material to the patentability of any claim in accordance with Title 37, Code of Federal Regulations, §1.56, and which is material to the examination of this application, namely, information where there is a substantial likelihood that a reasonable examiner would consider it important in deciding whether to allow the application to issue as a patent.

We hereby appoint Christopher J. Rourk, Registration No. 39,348; Kenneth R. Glaser, Registration No. 24,015; Richard L. Schwartz, Registration No. 27,227; Randall C. Brown, Registration No. 31,213; John M. Cone, Reg. No. 30,538; Michael E. Martin, Registration No. 24,821; Steven E. Ross, Registration No. 35,996; Rick Matos, Registration No. 40,082, Henry T. Crenshaw, Jr., Registration No. 37,805, George R. Schultz, Registration No. 35,674; and R. Scott Rhoades, Registration No. P-44,300 of the firm Akin, Gump, Strauss, Hauer & Feld, L.L.P., our attorneys and agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. Send all correspondence to:

Christopher J. Rourk
AKIN, GUMP, STRAUSS, HAUER & FELD, L.L.P.
P.O. Box 688
Dallas, TX 75313-0688
Phone: 214/969-2800

We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of this application or any patent issued thereon.

Full name of
first joint Inventor:

Lambert Wayne LeRoux

Residence:

286 8th Avenue North
Tierra Verde, Pinellas County, Florida 33715

Citizenship:

USA

Post Office Address:

286 8th Avenue North
Tierra Verde, Pinellas County, Florida 33715

Date: 4-20-2000


Signature

Full name of
second joint Inventor:

Russell James Mahy

Residence:

3077 Doxberry Court
Clearwater, Pinellas County, Florida 33671


Citizenship:

USA

Post Office Address:

3077 Doxberry Court
Clearwater, Pinellas County, Florida 33671

Date: 4/19/00


Signature

Full name of
third joint Inventor:

Jay Stumpf Dollard

Residence:

19812 Windham Lakes Drive
Odessa, Hillsborough County, Florida 33556

Citizenship:

USA

Post Office Address:

19812 Windham Lakes Drive
Odessa, Hillsborough County, Florida 33556

Date: 4/18/00


Signature

Full name of
fourth joint Inventor:

Chirayu Gangadhar Harshe

Residence:

1322 Seagate Drive, Apt. No. 4-303
Palm Harbor, Pinellas County, Florida 34685


Citizenship:

India

Post Office Address:

1322 Seagate Drive, Apt. No. 4-303
Palm Harbor, Pinellas County, Florida 34685

Date: 4/17/00


Signature

Full name of
fifth joint Inventor:

Michael Kerrick Nicholls

Residence:

16710 Hutchinson Road
Odessa, Hillsborough County, Florida 33556


Citizenship:

USA

Post Office Address:

16710 Hutchinson Road
Odessa, Hillsborough County, Florida 33556

Date: 4/18/00


Signature

Full name of
sixth joint Inventor:

Eric Randall Bessell

Residence:

3021 Partridge Point Trail
Valrico, Hillsborough County, Florida 33594


Citizenship:

USA

Post Office Address:

3021 Partridge Point Trail
Valrico, Hillsborough County, Florida 33594

Date: 4-17-00


Signature

Full name of
seventh joint Inventor:

Kirk Thomas Kotz

Residence:

11826 Easthampton Drive
Tampa, Hillsborough County, Florida 33626


Citizenship:

USA

Post Office Address:

11826 Easthampton Drive
Tampa, Hillsborough County, Florida 33626

Date: 4-17-00


Signature

Full name of
eighth joint Inventor:

Gregory James Bricker

Residence:

1160 Lumsden Trace Circle
Valrico, Hillsborough County, Florida 33594


Citizenship:

USA

Post Office Address:

1160 Lumsden Trace Circle
Valrico, Hillsborough County, Florida 33594

Date: 4-18-00


Signature

Full name of
ninth joint Inventor:

Rosemary R. Thomas

Residence:

2625 Bengal Lane
Plano, Collin County, Texas 75023

Citizenship:

USA

Post Office Address:

2625 Bengal Lane
Plano, Collin County, Texas 75023

Date: 4/7/2000

Rosemary R. Thomas
Signature

Full name of
tenth joint Inventor:

Mark A. Lawler

Residence:

865 Pinnacle Circle
Lewisville, Denton County, Texas 75077

Citizenship:

USA

Post Office Address:

865 Pinnacle Circle
Lewisville, Denton County, Texas 75077

Date: 4-7-2000

Mark Lawler
Signature

Full name of
eleventh joint Inventor:

Satish (NMI) Menon

Residence:

2528 Cima Hill Drive
Plano, Collin County, Texas 75025

Citizenship:

~~USA~~ CANADA ^{11/1} 4-7-2000

Post Office Address:

2528 Cima Hill Drive
Plano, Collin County, Texas 75025

Date: 4/7/2000

Satish Menon
Signature

006927-0600


Full name of
fourteenth joint Inventor: George J. White

Residence: 30 Picadilly Road
Hampstead, Rockingham County, NH 03841

Citizenship: USA


Post Office Address: 30 Picadilly Road
Hampstead, Rockingham County, NH 03841

Date: May 08, 2000

Signature 

[illegible]

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☒ There is only one (1) page of claims and not 5

☐ Scanned copy is best available.